

USER MANUAL

MINI OZONE & ANION AIR PURIFIER

B50-PRO

SPECIFICATIONS

Technology	Adjustable Ozone & Anion Generation
Voltage rating	110-240V AC, 50/60hz
Power	≤ 5 W
Ozone Output	10 - 50mg/h
Ozone Density	Less than 0.5 mg per/m³
Anion Density	9*10 ⁶ ions/cm ³ (5.5*10 ⁵ ions/in ³)
Noise level	≤ 34dBA
Unit dimensions	5.1*4.0*3.7inch (130*101*94mm)
Net weight	0.57lbs (260g)
Applicable area	320 sq. ft (30m²) Max.

WARNING

- Use in unoccupied space for ozone indoor sterilization is highly recommended!
- There might be ozone smell remaining in the room after treatment. Open doors and windows to ventilate before returning to the space.
- Please turn off the ozone function when people and pets are around.

LIMITED WARRANTY

Airthereal warrants B50-PRO Ozone Air Purifiers for 1 year from the date of purchase. Internet information: airthereal.com/pages/warranty

What's covered?

Defects due to faulty materials and workmanship of the product.

What's NOT covered?

- Damage caused by the owner when attempting to fix or altering the product by himself or herself.
- Damage caused by misuse, abuse, neglect, alterations or unauthorized repair.
- 3. Natural depreciation.

Warranty Period.

Warranty becomes effective since the date of original purchase and will last for 1 year.

Who's covered?

This limited warranty is only effective for the original purchaser. It is NOT transferable.

How to request warranty services?

To obtain the benefit of this warranty, please leave your message online (https://airthereal.com/pages/warranty), or send an email to support@airthereal.com. Our customer service will address your issue in 24hs.

INTRODUCTION

Congratulations on your purchase and welcome to Airthereal! To fully benefit from the support that Airthereal offers, register at www.airthereal.com.

READ ALL INSTRUCTIONS BEFORE USE AND KEEP THEM FOR FUTURE REFERENCE.

FEATURES

- Ozone + Anion + LED Night Light.
- Two modes (30min timing / circulation) enable ozone treament to be convenient and safe.
- · Low power consumption with less than 5W.
- Powerful dust removal with 9 millions/cm³ anion.
- 3 in 1: tough odor removal, desinfection and sterilization.
- Solve chemical pollution from benzene, formaldehyde, ammonia etc.

MAINTENANCE

· Ozone - Powerful sterilizer and deodorant.

Ozone generators create O₃ using mechanisms such as an ultraviolet light or a corona discharge (a type of electrical discharge). Ozone (O₃) contains three atoms of oxygen. The third oxygen atom makes ozone extremely reactive, which readily attaches itself to other molecules. When odors, bacteria or viruses meet ozone, oxidation reactions occur and both parties are destroyed. Ozone essentially reverts back to oxygen. That's why it's environment friendly.


· Anion - To remove particles from air.


Airborne particles are attracted to the electrode in an effect similar to static electricity. These ions are de-ionised by seeking earthed conductors, such as walls and ceilings.

Applicable Space

The cover area of B50-PRO is 330sq.ft max. It could be used in hotels, kitchens, toilets, pet rooms, storerooms, bedrooms, cars and boats, etc.

STRUCTURE









Do not operate the unit unless it is completely assembled.



There are no user-serviceable parts inside the unit.

OPERATION





Ozone Button

- Initial position off.
- Single-press into 30 minutes timing mode. (Indicator light remains on.)
- Double-press into cycled mode.
 5 minutes' operating and 25minutes' break. (Indicator light flashes on and off.)

SHUTDOWN

- · Switch the Anion Switch to OFF to turn off ionizer and LED.
- Press the Ozone Button till the indicator light's off to stop ozone generating.

www.airthereal.com

